

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Seal-Krete® CLEAN - N - ETCH

Part Number: 411001, 411000

GENERAL USE: Cleaning and etching concrete

PRODUCT DESCRIPTION: Light yellow liquid, characteristic odor



DISTRIBUTOR'S NAME

Seal-Krete

DATE PREPARED: June 14, 2006

SUPERSEDES: New

Page 1 of 4

ADDRESS (NUMBER, STREET, P.O. BOX)

306 Gandy Road

TELEPHONE NUMBER FOR INFORMATION

(800) 323-7357

(CITY, STATE AND ZIP CODE)

Auburndale, FL 33823-2723

COUNTRY

USA

EMERGENCY TELEPHONE NUMBER

Chemtrec (800) 424-9300 Outside USA (703) 527-3887

MANUFACTURER'S NAME

Not specified

ADDRESS (NUMBER, STREET, P.O. BOX)

TELEPHONE NUMBER FOR INFORMATION

(CITY, STATE AND ZIP CODE)

COUNTRY

EMERGENCY TELEPHONE NUMBER

SECTION 2 - HAZARDOUS INGREDIENTS

| HAZARDOUS COMPONENTS | % (by weight) | CAS # | EINECS # | Hazard Symbol | RISK PHRASES Full Text Section 16 |
|----------------------|------------------|-----------|-----------|------------------|--------------------------------------|
| Phosphoric acid (a) | 30 - 60 | 7664-38-2 | 231-633-2 | C | R-22, 34 |

(a) See Section 15

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Corrosive liquid. Causes chemical burns to skin and eyes. Hazard Symbols for this product: C Risk Phrases - R22 34

POTENTIAL HEALTH EFFECTS

INHALATION: Corrosive and irritating to upper respiratory tract. May be harmful if inhaled.

SKIN: Corrosive and irritating; chemical burns may result from contact.

EYES: Corrosive; Causes immediate severe irritation of the eye and eyelids. If not quickly removed by thorough irrigation with water, there may be prolonged or permanent visual impairment or total loss of sight.

INGESTION: Corrosive. Material is extremely destructive to all tissues. May be harmful or fatal if swallowed.

CARCINOGENICITY

NTP? No IARC MONOGRAPHS? No OSHA REGULATED? No

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Seal-Krete® CLEAN - N - ETCH
June 14, 2006

Page 2 of 4

SECTION 4 - FIRST AID MEASURES

INHALATION: Remove affected person to fresh air; if breathing has not returned to normal within a few minutes after exposure, get medical attention.

SKIN: Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.

EYES: Check for and remove contact lenses. Immediately flush eyes for 15 minutes in clear running water while holding eyelids open; seek medical attention immediately.

INGESTION: Drink two glasses of water followed by milk, milk of magnesia or other non-alcoholic liquids; DO NOT induce vomiting; seek medical attention immediately.

SECTION 5 - FIRE FIGHTING MEASURES

GENERAL HAZARDS: Product is corrosive. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

EXTINGUISHING MEDIA
Carbon dioxide, water, water fog, dry chemical, chemical foam.

FIRE FIGHTING PROCEDURES
Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released.
CAUTION - material is corrosive.

UNUSUAL FIRE AND EXPLOSION HAZARDS
Contact with B:C extinguisher powder may produce large amounts of carbon dioxide.

HAZARDOUS COMBUSTION PRODUCTS
Smoke, fumes or vapors, oxides of carbon, phosphorous

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: **CAUTION - CORROSIVE.** Wash small spills to sanitary sewer. Large spills - confine spill, soak up with approved absorbent, shovel product into approved container for disposal. For spills in excess of allowable limits (RQ) notify the National Response Center (800) 424 - 8802; refer to CERCLA 40 CFR 302 for detailed instructions concerning reporting requirements.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures. Separate from oxidizing materials, metallic powders and other easily oxidized organic materials and reducing agents. **CAUTION** - material is corrosive. Keep this and other chemicals out of reach of children.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

| HAZARDOUS COMPONENTS | NIOSH | | | | ACGIH | | | |
|-----------------------|---------|-----------|----------|------------|---------|-----------|----------|------------|
| | TWA ppm | TWA mg/m3 | STEL ppm | STEL mg/m3 | TWA ppm | TWA mg/m3 | STEL ppm | STEL mg/m3 |
| Phosphoric acid (a) | | 1 | | 3 | | 1 | | 3 |

PERSONAL PROTECTION:

RESPIRATORY PROTECTION: None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134 or European Standard EN 149 for complete regulations.

PROTECTIVE GLOVES: Neoprene, butyl or nitrile rubber gloves with cuffs.

EYE PROTECTION: Chemical safety goggles. Refer to 29 CFR 1910.133 or European Standard EN166.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls, apron, or other equipment should be worn to prevent skin contact, safety eyewash station nearby.

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Seal-Krete® CLEAN - N - ETCH
June 14, 2006

Page 3 of 4

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|---------------------------------------|
| APPEARANCE AND ODOR Light yellow liquid, characteristic odor | VAPOR PRESSURE 1.0 mm Hg @ 20° C |
| pH 1.5 | SPECIFIC GRAVITY (WATER = 1) 1.240 |
| BOILING POINT / BOILING RANGE 300° F (149° C) | SOLUBILITY IN WATER Complete |
| FLASH POINT Non-flammable | VISCOSITY Not specified |
| FLAMMABLE LIMITS LEL: Not applicable UEL: Not applicable | VAPOR DENSITY (AIR = 1) > 1 |
| AUTOIGNITION TEMPERATURE Not determined | EVAPORATION RATE (WATER = 1) < 1 |
| VOLATILE ORGANIC COMPOUNDS (VOC's) None | |

SECTION 10 - STABILITY AND REACTIVITY

| | |
|--|--|
| STABILITY UNSTABLE: STABLE: XXX | CONDITIONS TO AVOID: Extreme temperatures. |
| INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids, strong alkalies. | |
| HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced. | |
| HAZARDOUS POLYMERIZATION MAY OCCUR: WILL NOT OCCUR: XXX | CONDITIONS TO AVOID: None |

SECTION 11 - TOXICOLOGICAL INFORMATION

| Hazardous Components | CAS # EINECS # | LD50 of Ingredient (Specify Species and Route) | LC50 of Ingredient (Specify Species) |
|----------------------|------------------------|---|---|
| Phosphoric acid (a) | 7664-38-2 231-633-2 | 1530 mg / kg Oral - rat | > 850 mg / m3 Inhalation - rat |
| | | | |
| | | | |
| | | | |
| (a) See Section 15 | | | |

SECTION 12 - ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of in accordance with Local, State, and Federal Regulations. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations for corrosive materials. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals. According to the European Waste Catalogue, waste codes are application specific and should be assigned by the user based on the application for which the product is used.

SECTION 14 - TRANSPORT INFORMATION

| | |
|---|--|
| PROPER SHIPPING NAME: Consumer Commodity DOT HAZARD CLASS / Packaging Group: ORM - D / None REFERENCE: 49 CFR 173.144-156 UN / NA IDENTIFICATION NUMBER: None LABEL: See Note 1 below HAZARD SYMBOLS: See Note 1 below | IATA HAZARD CLASS / Packaging Group: See Note 2 below IMDG HAZARD CLASS: See Note 2 below RID / ADR Dangerous Goods Code: See Note 2 below UN TDG Class / Packaging Group: See Note 2 below Hazard Identification Number (HIN): None |
|---|--|

Note 1: CONSUMER COMMODITY ORM - D / must be accompanied by orientation arrows

Note 2: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Seal-Krete® CLEAN - N - ETCH
 June 14, 2006

SECTION 15 - REGULATORY INFORMATION

TSCA (USA - Toxic Substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume or Polymer Exemption has been granted in accordance with 40 CFR 723.50.

SARA TITLE III (USA - Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories
 Immediate health

313 Reportable Ingredients:
 None

CERCLA (USA - Comprehensive Response Compensation and Liability Act)

(a) The Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) has notification requirements for releases or spills to the environment of the Reportable Quantity (RQ for this mixture = 10,000 lbs) or greater amounts, according to 40 CFR 302.

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

There are no chemicals present known to the state of California to cause cancer or reproductive toxicity.

CPR (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: E

IDL (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.

EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

WGK Water Quality Index: nwg

VbK Index: A III

RISK PHRASES:

R22 Harmful if swallowed.
 R34 Causes burns.

SYMBOL(S) REQUIRED FOR LABEL

Consumer Commodity



SAFETY PHRASES:

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 S36/37/39 Wear suitable protective clothing, gloves and eye/face protection
 S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label whenever possible.)

SECTION 16 - OTHER INFORMATION

Notes & full R-Phrase text

R22 Harmful if swallowed.
 R34 Causes burns.

HMIS HAZARD RATINGS

| | | | |
|-----------------|---|---------------------------|--------------|
| HEALTH | 2 | * = Chronic Health Hazard | 2 = MODERATE |
| FLAMMABILITY | 0 | 0 = INSIGNIFICANT | 3 = HIGH |
| PHYSICAL HAZARD | 0 | 1 = SLIGHT | 4 = EXTREME |

PERSONAL PROTECTIVE EQUIPMENT C Safety Glasses, Gloves, Apron

REVISION SUMMARY:

This MSDS has been revised in the following sections: No changes noted

MSDS Prepared by: Comprehensive Data Base, Inc.
 P.O. Box 5604
 Lakeland, FL 33807 USA (863) 644 - 3298 www.compdatabase.com

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.