



## Product information

# SYNTEKO REMOVER 1692

### GENERAL DESCRIPTION

Synteko Remover is a basic detergent which efficiently removes dirt, soil and old coats of polish such as Synteko Newshine 1696. It is aimed for using before sanding and recoating with Synteko floor finishes or new treatment with Synteko maintenance products such as Synteko Newshine 1696.

### TECHNICAL DATA

<b>Base material</b>	Cat- and non-ionic tensides, alkali, perfume and water
<b>Density</b>	1100 kg/m <sup>3</sup> (9,18 lb/gal US) (11,02 lb/gal UK)
<b>pH</b>	Approx. 10,5
<b>Shelf life</b>	36 months in unopened container
<b>Storage</b>	Store frost-free. Must be stored between +5°C (+40°F) and +30°C (+86°F)

### DIRECTIONS FOR USE

#### APPLICATION

Vacuum clean or mop floor to remove dry dirt. Prepare Synteko Remover as follows:  
Normal cleaning: ½ - 1 part of Synteko Remover per 100 parts of water  
Heavy soilage: 2 – 3 parts of Synteko Remover per 100 parts of water

Soak cloth in mixture; do not pour directly on floor. Wet mop and let the mixture act for a few minutes, then dry mop. Further cleaning with 10% vinegar in water is recommended if sanding and recoating is to be done. Floor must be completely dry before screening and recoating.

**Note:** Coats of wax cannot be removed with Synteko Remover. Such floors must be sanded to bare wood before sanding and refinishing.

## ENVIRONMENTAL DATA

Keep out of reach of children. Safety data sheet available for professional user on request. Detailed information and guidance is provided in our MSDS (Material Safety Data Sheet).



Akzo Nobel Decorative Coatings AB  
Synteko Floor Finishes  
SE-205 17 Malmö, Sweden  
Phone: +46 40 355000  
www.synteko.com  
Email: info@synteko.com



*Our information is based on laboratory tests and is considered a guide in connection with choice of product and working method. As your working conditions are beyond our control, we do not assume any responsibility for the results. Our responsibility covers exclusively personal injury and damage to property, which actually have been proved subsequent to faults and defects in one of the products manufactured by us.*

Date: 2003-06-24